


YOUR OUTDOOR HOME

www.ALBIXON.com

The photographs used in this catalogue are for illustrative purposes only. ALBIXON a.s. reserves the right to make changes to all the data in this catalogue without prior notice for the sake of development and improvement of the products, packaging and technological processes. Typesetting and printing errors reserved. Published 2025.



YOUR OUTDOOR HOME

CONTENTS

SWIMMING POOLS AND SWIMMING POOL SETS

| | |
|------------------------------------|----|
| A Swimming Pool Set..... | 08 |
| Overflow Pools..... | 16 |
| Skimmer Pools..... | 20 |
| Mini QBIG | 24 |
| Quality materials are a must | 26 |
| Step Shapes | 28 |

TECHNOLOGY

| | |
|-------------------------|----|
| Technology Walls | 34 |
| Technology Shafts | 36 |

ENCLOSURES

| | |
|-----------------------------|----|
| BERGEN | 42 |
| SYDNEY / SYDNEY CLEAR | 44 |

ENCLOSURES

| | |
|------------------------------------|----|
| CASABLANCA INFINITY..... | 46 |
| DALLAS / DALLAS CLEAR | 48 |
| KLASIK PRO / KLASIK PRO CLEAR..... | 50 |
| KLASIK / KLASIK CLEAR | 52 |
| MONACO FUTURE..... | 54 |
| CASABLANCA | 56 |
| DALLAS WALL-MOUNTED | 58 |
| LUZERN..... | 60 |
| SYDNEY MINI..... | 62 |

ACCESSORIES

| | |
|------------------------|----|
| MOOVER | 70 |
| Pool Accessories | 72 |



ABOUT US

A major manufacturer of swimming pools and enclosures in Europe



- ➔ A traditional Czech family company – on the market since 1990
- ➔ Over 35,000 pools and 100,000 enclosures installed
- ➔ We export our products to up to 70 countries around the world
- ➔ 250 highly-qualified personnel
- ➔ 1,500 m² development and design centre
- ➔ 99,000 m² of production and storage areas
- ➔ Precise quality control
- ➔ High-capacity powder paint shop in Central Europe with modern Decoral technology
- ➔ Selected products and manufacturing processes are protected by utility models and awarded international certificates
- ➔ We have obtained a declaration of conformity for selected pool enclosures with the AFNOR NF P 90-309 standard (October 2007) issued by the accredited LNE testing laboratory in France
- ➔ QBIG BENEFIT pools and KLASIK, DALLAS, CASABLANCA, CASABLANCA INFINITY and MONACO FUTURE enclosures are NSF certified



A photograph of a family of three enjoying a swimming pool. An older man with a white beard and hair is on the left, a young girl with dark hair in pigtails is in the center, and an older woman with short grey hair is on the right. They are all smiling and looking towards each other. The pool is filled with clear blue water, and the surrounding deck is made of dark wood. On the left side of the image, there is a blue geometric graphic consisting of several overlapping diamond shapes.


SWIMMING POOL SETS

A SWIMMING POOL SET

A pool, enclosure, and technology in one!

Get one of our popular pool sets to benefit from a high-quality pool, an enclosure and all the necessary pool technology in a technology shaft or wall.

Choose from over **400 different combinations!**



| SWIMMING POOL | TECHNOLOGY | ENCLOSURES |
|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| The heart of your water fun | The motor which drives your pool | Your pool's coat |
|  seven standard sizes |  different equipment levels |  various designs |
|  three depths |  underground and above-ground variants |  dozens of colours and decorative patterns |
|  three colours |  intelligent pool technology control |  two types of panels |
|  skimmer or overflow |  various water treatment options |  rail/railless design option |
| Which one will be yours? You can choose from the offer on pages 10–29. | Which design will you choose? Take a look at pages 30–37. | Which enclosure will you choose? Take a look at pages 38–67. |



A family of six is sitting on a stone patio next to a swimming pool. The pool has a dark retractable cover that is partially open. The family consists of two older adults, a man, a woman, a young boy, and a young girl. They are all looking towards the pool. The background shows a green lawn and some plants. The text 'SWIMMING POOLS' is overlaid on the left side of the image in white capital letters on a blue geometric background.

SWIMMING POOLS

WHY CHOOSE AN ALBIXON POOL?








- ➔ 25 years warranty
- ➔ Control of the pool via the BRILIX mobile app (pH, water temperature, etc.)
- ➔ Your guide from pool selection to commissioning
- ➔ Wide range of pool options
- ➔ Overflow and skimmer pools
- ➔ Made in the Czech Republic
- ➔ High-quality materials developed specifically for swimming pools
- ➔ Intelligent pool technology control
- ➔ Economical water treatment
- ➔ Simple maintenance, easy winterizing and energy savings
- ➔ Modern design



QBIG BENEFIT SERIES POOLS


Introducing our pool solution

What do the BENEFIT pools provide?

-  Faster construction work? Very much so!
-  Need to drain the water? Not necessary!
-  Preparation for winter? A piece of cake!
-  More economical operation? Undoubtedly!
-  Easier to maintain? Of course!
-  Our own premium-quality structure. Yes!
-  Significant construction cost savings.

Did you know that...

The BENEFIT pools are provided with an outside thermal structure that is 25 cm thick, which after filling with concrete, serves as both a load-bearing and thermal insulating element of the pool. This helps speed up the construction and lets you enjoy your pool as soon as possible.



OVERFLOW POOLS

A clean design, water up to the edge and the feeling of an infinite surface





The X-FLOW grid comes standard with all our QBIG BENEFIT overflow pools.



X-FLOW Grey



X-FLOW White

| | STANDARD POOLS – AVAILABLE AS A SET OR INDIVIDUALLY | CUSTOMIZED POOLS – 100% CUSTOM MADE |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|-------------------------------------|
|  DIMENSIONS | 3 × 5 m / 3 × 6 m / 3 × 7 m / 3,5 × 7 m / 3 × 8 m / 3,5 × 8 m / 4 × 8 m | Length: 4–9 m/Width: 2–4 m |
|  COLOUR | light blue, white, grey | light blue, white, grey |
|  DEPTH | 1,2 / 1,35 / 1,5 m | 1,2 / 1,35 / 1,5 m |
|  SHAPE | a rectangle with square corners | a rectangle with square corners |



Did you know that...

Our pools save water; with proper maintenance you don't need to empty the pool for several years.



ALBIXON



SKIMMER POOLS

Time-tested swimming pools in a new design





Now even better, thanks to the possibility of finishing with **an elegant X-SHAPE trim** .



X-SHAPE Anthracite DB 703



X-SHAPE Silver

| | STANDARD POOLS – AVAILABLE AS A SET OR INDIVIDUALLY | CUSTOMIZED POOLS – 100% CUSTOM MADE |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|-------------------------------------|
|  DIMENSIONS | 3 × 5 m / 3 × 6 m / 3 × 7 m / 3,5 × 7 m / 3 × 8 m / 3,5 × 8 m / 4 × 8 m | Length: 4–9 m/Width: 2–4 m |
|  COLOUR | light blue, white, grey | light blue, white, grey |
|  DEPTH | 1,2 / 1,35 / 1,5 m | 1,2 / 1,35 / 1,5 m |
|  SHAPE | a rectangle with square corners | a rectangle with square corners |



Did you know that...

Optimized placement of nozzles ensures improved water circulation and significantly reduces the consumption of pool chemicals.



ALBIXON



MINI QBIG

The perfect solution for small gardens

A small swimming pool with the QBIG thermal insulation system is the ideal solution for those who have limited space around the house or are looking for a place to relax.

| | | |
|-------------------------------------------------------------------------------------|----------------------|----------------------------------|
|  | DIMENSIONS | 3 x 3 m 2,25 x 3,75 m |
|  | COLOUR | white, grey, blue |
|  | DEPTH | 1,2 m |
|  | MATERIAL | polypropylene Röchling |
|  | POOL TYPE | overflow |
|  | BASIC EQUIPMENT | 1x light, 2x nozzle |
|  | ADDITIONAL EQUIPMENT | heat pump, process wall or shaft |



QUALITY MATERIALS ARE A MUST

Our swimming pools are manufacutred using only premium-quality materials developed specifically for swimming pools




We manufacture the pools in blue and grey from material that has been tested in a number of laboratory tests.



For white pools, we have recently started using the POLYSTONE® P copolymer, a material developed by Röchling Engineering Plastics of Germany for the specific purpose of building pools.

The materials are mainly distinguished by UV stabilisation, high mechanical resistance and strength, durability and long service life.



STEP SHAPES


A range of steps to suit your preferences.

We will manufacture your pool with square corners, allowing you to utilize the maximum space of any pool size.


Whether you are planning fitness swimming, splashing around or relaxing with your family, an ALBIXON pool will always adapt to your needs.

You choose the right steps for your pool. In pools with a depth of 120 cm, there are three steps (four steps when choosing the X-AIR and X-AIR+ versions), while in pools with a depth of 135 cm and 150 cm, there are four steps (five steps when choosing the X-AIR and X-AIR+ versions).


Straight steps
over the corner




X-AIR




X-AIR+




Rectangular steps
in the corner



Straight steps over
the corner with a bench



Rectangular steps*



*Rectangular steps are only available for custom pools.



TECHNOLOGY

The polypropylene pool is not self-supporting, so it is necessary to follow all the principles of safe concreting specified in the building preparations documentation.



Technology wall



Technology shaft



Salt dispenser



Filtration



Pump



Heat pump



Swim jet

Comfort? A top priority!

To make bathing as enjoyable as possible, we have designed swimming pools and technology with an emphasis on ease of operation and maintenance. In general, the more advanced the technology you choose, the less you will have to deal with. Interested in specific options? Just turn to the following pages.

Where will it go?

To simplify your selection, we have prepared the most popular pool technology combinations as standard solutions. The first option is a technology wall, which you can place, for example, in a garden house, cellar or garage. The other option is a technology shaft, in the ground immediately next to the pool. It is up to you to choose the option which suits you best.

What type of water treatment should you choose?

Water treatment helps to keep the pool clear and in great condition, with the crucial parameters in balance. The most popular is salt water treatment using a salt dispenser. From the salt water in the pool, the necessary amount of chlorine is produced in a natural concentration to clean the pool water. Salt dispensers have gained in popularity because they offer abundant options for extensions, such as automatic pH adjustment or smart pool technology control.

Pool technology? What is that?

Pool technology is often nicknamed "the motor of the pool". It is not visible at first glance, but it keeps everything in operation. The circulation pump ensures the water circulation. Then there is sand filtration, which removes mechanical impurities from the pool water. This is followed by a water treatment unit, which keeps the pool water in perfect condition.

Did you know that our product specialists are directly involved in the development of BRILIX pool equipment? We guarantee its quality!

TECHNOLOGY WALLS

Wide range of placement options

The most convenient access to the pool technology is provided by a technology wall. It can be installed in your garage or garden house. All the pool technology will be protected and easily accessible when necessary.

| | BASIC PLUS | ECONOMIC | OXY | UV | STATION |
|--------------------------------------------------------|-----------------------------|-------------------|-------------------|-------------------|-------------------|
| Filtration | BRILIX P500 – 85 kg | | | | |
| Pump | PREVA 50 – flow rate 9 m³/h | | | | |
| Water treatment | BRILIX NEOSAL | BRILIX HIDROLIFE | BRILIX OXILIFE | BRILIX UV SCENIC | BRILIX STATION |
| Water | Salt 3 g/l | Salt 3 g/l | Salt 1,5 g/l | Salt 1,5 g/l | Freshwater |
| Preparation for intelligent pool technology control | X | ✓ | ✓ | ✓ | ✓ |
| Heat pump connecting point, discharge connecting point | ✓ | ✓ | ✓ | ✓ | ✓ |
| Possibility of combination with counterflow | ✓ | ✓ | ✓ | ✓ | ✓ |
| Counterflow pump | X | X | X | X | X |
| Remote control of the pool light | ✓ | ✓ | ✓ | ✓ | ✓ |
| Pipes, fittings, electrical switchboard ¹⁾ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Dimensions (W x H x D) | 160 x 140 x 69 cm | 160 x 140 x 69 cm | 160 x 140 x 69 cm | 160 x 140 x 69 cm | 160 x 140 x 69 cm |
| Wall colour | White | White | White | White | White |

¹⁾ The switchboard is equipped with an electrical outlet for the installation of an additional socket.

Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the technological equipment for you.



Discover garden sheds designed to safely store pool technology. They combine functionality with aesthetic design, are made from quality materials and require minimal maintenance. They extend the life of equipment, make pool maintenance easier and maintain a clean garden appearance.

TECHNOLOGY SHAFTS

To be located near the pool

The technology shaft is located close to the pool. It houses all the equipment discreetly. The counterflow drive can also be placed in the shaft in addition to the pool technology.

| | BASIC PLUS | ECONOMIC | COMFORTPLUS | OXY | OXY PLUS | UV | UV PLUS | STATION | STATIONPLUS |
|--------------------------------------------------------|-----------------------------|------------------|-----------------|----------------|-----------------|------------------|-----------------|----------------|-----------------|
| Filtration | BRILIX P500 – 85 kg | | | | | | | | |
| Pump | PREVA 50 – flow rate 9 m³/h | | | | | | | | |
| Water treatment | BRILIX NEOSAL | BRILIX HIDROLIFE | | BRILIX OXILIFE | | BRILIX UV SCENIC | | BRILIX STATION | |
| Water | Salt 3 g/l | Salt 3 g/l | | Salt 1,5 g/l | | Salt 1,5 g/l | | Freshwater | |
| Preparation for intelligent pool technology control | X | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Heat pump connecting point, discharge connecting point | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Counterflow connecting point | X | X | ✓ | X | ✓ | X | ✓ | X | ✓ |
| Counterflow pump | X | X | ✓ ¹⁾ | X | ✓ ¹⁾ | X | ✓ ¹⁾ | X | ✓ ¹⁾ |
| Remote control of the pool light | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Pipes, fittings, electrical switchboard ²⁾ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Shaft diameter | 120 cm | 150 cm | 150 cm | 150 cm | 150 cm | 150 cm | 150 cm | 150 cm | 150 cm |
| Shaft depth | 120 cm | 120 cm | 120 cm | 120 cm | 120 cm | 120 cm | 120 cm | 120 cm | 120 cm |
| Lid colour | Grey | Grey | Grey | Grey | Grey | Grey | Grey | Grey | Grey |

¹⁾ Standard process shafts have Elegance 70 countercurrent with a three-phase switchboard. Elegance 80 and 95 counterflows are custom built.

²⁾ The switchboard is equipped with an electrical outlet for the installation of an additional socket.

Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the technological equipment for you.





ENCLOSURES

Did you know that...

Safety, savings, and an extended season are some of advantages provided to you by an ALBIXON pool enclosure. See for yourself!

WHY AN ALBIXON ENCLOSURE?

A safety and design feature in your garden

Thanks to our extensive experience, we can guide you through the entire purchase process, from choosing the right model and size to installing the enclosure over your pool. Elevate your poolside comfort by choosing from a wide selection of pool enclosures, from ultra low to high.

- ➔ Most of the pool enclosures have obtained compliance with the standard AFNOR NF P 30-309 – the structure can withstand wind speeds of 120 km/h, snow weight 60 kg/m² and meets the safety requirements for the protection of users
- ➔ Internationally recognized NSF certification that guarantees quality of the materials used and their safety
- ➔ Profiles are painted in our own certified powder coating plant
- ➔ Option of covering - compact polycarbonate 4 mm thick with UV protection or cellular polycarbonate 8 mm thick with UV protection

Advantages of pool enclosures

- ➔ 10-year warranty
- ➔ Safety for your children and pets
- ➔ Higher water temperature
- ➔ Water purity
- ➔ Pool maintenance time savings
- ➔ Lower your cost of water treatment chemicals
- ➔ Your bathing season extended
- ➔ Protection of the pool from external influences
- ➔ Swimming in bad weather
- ➔ Pool and home value increased
- ➔ Reduction of water heating costs








TERRACE ENCLOSURE BERGEN

Swim by day, dance by night!

We are delighted to introduce a fully-fledged mobile terrace that not only covers your pool, but thanks to its high rigidity and load-bearing capacity, also creates additional possibilities for activities and relaxation, thus allowing the full use of your garden all year round.



| | BERGEN |
|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
|  MAXIMUM ENCLOSED AREA | 342 x 642 cm |
|  EXTERNAL STANDARD HEIGHT | 16,5 cm |
|  LOAD CAPACITY PER M² | 250 kg/m² |
|  RAIL | Single-sided rail, walkable surface |
|  NUMBER OF MODULES | 2 |
|  MODULE PANELS | EXTERPARK WPC boards – bamboo (60 %), HDPE (30 %) and additives (10 %) * |


* Can be purchased without covering.



SYDNEY / SYDNEY CLEAR






Low profile, elegant curves and a modern look

A designer enclosure which we have developed for you in cooperation with automotive designers.



Anthracite DB 703




| | SYD. AS | SYD. CLEAR AS | SYDNEY A | SYD. CLEAR A | SYD. BD | SYD. CLEAR BD | SYD. BS | SYD. CLEAR BS | SYD. B | SYD. CLEAR B | SYD. C | SYD. CLEAR C |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
|  MAX. AREA | 350 x 555 cm | | 350 x 635 cm | | 350 x 850 cm | | 400 x 740 cm | | 400 x 850 cm | | 450 x 850 cm | |
|  COLOUR | Anthracite DB 703 | | | | | | | | | | | |
|  RAIL | AIR single-sided, only one rail for the largest module (other modules are railless) | | | | | | | | | | | |
|  NUMBER OF MODULES | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
|  MODULE PANELS | PK8 ¹⁾ | PK4 ²⁾ | PK8 ¹⁾ | PK4 ²⁾ | PK8 ¹⁾ | PK4 ²⁾ | PK8 ¹⁾ | PK4 ²⁾ | PK8 ¹⁾ | PK4 ²⁾ | PK8 ¹⁾ | PK4 ²⁾ |

¹⁾ PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection (Front and rear head always with PK4 panel)
²⁾ PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection (Front and rear head always with PK4 panel)
The guide rail is not sunk in the ground and can be placed on the left or right, always with an extension.






CASABLANCA INFINITY

Subtle, yet sophisticated, this is the CASABLANCA INFINITY

A low enclosure, which at first glance seems inconspicuous, it offers many surprises which appeal to everyone.



Anthracite DB 703

| | CASABLANCA INFINITY A | CASABLANCA INFINITY B |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------------|
|  MAX. AREA | 346 x 635 cm | 442 x 850 cm |
|  COLOUR | Anthracite DB 703 | Anthracite DB 703 |
|  RAIL | AIR double-sided/single-sided ¹⁾ | AIR double-sided/single-sided ¹⁾ |
|  NUMBER OF MODULES | 3 | 4 |
|  MODULE PANELS | PK4 ²⁾ | PK4 ²⁾ |



¹⁾ The left/right position of the track is determined when looking at the largest module from the front. The rail is not sunk into the ground. Each module has its own track. The railless side is equipped with lockable stoppers.
²⁾ PK4 – Transparent compact polycarbonate with a thickness of 4 mm with UV protection. This enclosure is manufactured with transparent panels only.
Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the enclosure for you.








DALLAS / DALLAS CLEAR

Fond of round shapes and graceful curves?

You are sure to love the DALLAS enclosure. It is one of the most popular models and fits into any garden.



| | DALLAS A | DALLAS CLEAR A | DALLAS B | DALLAS CLEAR B |
|-------------------------------------------------------------------------------------------------------|---------------------------|-------------------|---------------------------|-------------------|
|  MAX. AREA | 363 x 635 cm | | 462 x 850 cm | |
|  COLOUR | Silver, Anthracite DB 703 | | Silver, Anthracite DB 703 | |
|  RAIL | AIR double-sided | | AIR double-sided | |
|  NUMBER OF MODULES | 3 | 3 | 4 | 4 |
|  MODULE PANELS | PK8 ¹⁾ | PK4 ²⁾ | PK8 ¹⁾ | PK4 ²⁾ |

¹⁾ PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

²⁾ PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection


Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the enclosure for you.








KLASIK PRO / KLASIK PRO CLEAR

Minimum height and maximum resistance to snow load

After several years of testing in Nordic conditions, we bring you the durable KLASIK PRO pool enclosure. You will appreciate its **elegant lines, durability and low profile**.



| | KLASIK PRO B | KLASIK PRO CLEAR B |
|--------------------------------------------------------------------------------------------------------------|-------------------|--------------------|
|  MAX. AREA | 413 x 850 cm | 413 x 850 cm |
|  COLOUR | Anthracite DB 703 | Anthracite DB 703 |
|  RAIL | AIR double-sided | AIR double-sided |
|  NUMBER OF MODULES | 4 | 4 |
|  MODULE PANELS | PK8 ¹⁾ | PK4 ²⁾ |

¹⁾ PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection



²⁾ PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection



KLASIK / KLASIK CLEAR

Medium-high pool enclosure

It combines the advantages of low and high models. This is the KLASIK enclosure, which will serve you faithfully for many years.



| | KLASIK S | KLAS.CLEAR S | KLASIK A | KLAS.CLEAR A | KLASIK B | KLAS.CLEAR B | KLASIK C | KLAS.CLEAR C | KLASIK D | KLAS.CLEAR D |
|-------------------|-------------------|-------------------|---------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| MAX. AREA | 331 x 420 cm | | 317 x 635 cm | | 413 x 850 cm | | 499 x 1060 cm | | 564 x 1276 cm | |
| COLOUR | Anthracite DB 703 | | Silver, Anthracite DB 703 | | | | | | Anthracite DB 703 | |
| RAIL | AIR double-sided | | | | | | | | | |
| NUMBER OF MODULES | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 6 | 6 |
| MODULE PANELS | PK8 ¹⁾ | SAN ²⁾ | PK8 ¹⁾ | SAN ²⁾ | PK8 ¹⁾ | SAN ²⁾ | PK8 ¹⁾ | SAN ²⁾ | PK8 ¹⁾ | SAN ²⁾ |

¹⁾ PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection
²⁾ SAN – transparent panel with a thickness of 4 mm
Still haven´t found what you were looking for? It doesn´t matter! We will be pleased to tailor the enclosure for you.



MONACO FUTURE

This enclosure will become a remarkable decorative feature of any garden

Have fun with your friends by the pool, have fun with the kids in the water, keep in shape or just relax quietly, regardless of the weather outside.



| CUSTOM MONACO FUTURE | | | | | | | |
|----------------------|-----------------------------------------------------------|---|---|---|---|---|---|
| ✂ MAX. AREA | Custom dimensions of enclosure | | | | | | |
| 🎨 COLOUR | Selection of the panel type and colour | | | | | | |
| 🚧 RAIL | AIR double-sided | | | | | | |
| 📏 NUMBER OF MODULES | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 📐 MODULE PANELS | PK8 ¹⁾ , PK4 ²⁾ , SAN ³⁾ | | | | | | |

¹⁾ PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection
²⁾ PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection
³⁾ SAN – transparent panel with a thickness of 4 mm



CASABLANCA

The CASABLANCA enclosure – a dominant landmark of your garden

It is not only a majestic pool enclosure, but also a space for year-round use.

You no longer need worry about the weather for some poolside fun with your family or friends.



| | CUSTOM CASABLANCA | | | | | | |
|-------------------------------------------------------------------------------------------------------|----------------------------------------|---|---|---|---|---|---|
|  MAX. AREA | Custom dimensions of enclosure | | | | | | |
|  COLOUR | Selection of the panel type and colour | | | | | | |
|  RAIL | AIR double-sided / AIR XL double-sided | | | | | | |
|  NUMBER OF MODULES | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|  MODULE PANELS | PK8 ¹⁾ , PK4 ²⁾ | | | | | | |

¹⁾ PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

²⁾ PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection



DALLAS WALL-MOUNTED

The best way to enclose a swimming pool located near a wall?

The solution is the custom DALLAS WALL-MOUNTED enclosure, which offers you an unexpected space in a small footprint.



| CUSTOM DALLAS WALL-MOUNTED | | | | | | | |
|----------------------------|----------------------------------------|---|---|---|---|---|---|
| ✂ MAX. AREA | Custom dimensions of enclosure | | | | | | |
| 🎨 COLOUR | Selection of the panel type and colour | | | | | | |
| 🚧 RAIL | AIR rail + Wall-mounted rail | | | | | | |
| 📏 NUMBER OF MODULES | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 📐 MODULE PANELS | PK8 ¹⁾ , PK4 ²⁾ | | | | | | |

¹⁾ PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection


²⁾ PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection








LUZERN

Retractable hot-tub enclosure

With LUZERN enclosure, hot tub owners no longer have to worry about whether it's raining or windy outside. They'll take a dip in the bubbles whenever they feel like it. They also save on running costs because the cover creates a lee and an extra layer of insulation, so the water in the hot tub doesn't lose temperature as quickly even in the colder months. In addition, with the Moover electric remote control, the enclosure can be moved directly out from the hot tub when the sky clears and there is sunshine or stars at night.



Anthracite DB 703

| | LUZERN |
|--------------------------------------------------------------------------------------------------------------|-------------------|
|  MAX. AREA | 432 x 410 cm |
|  COLOUR | Anthracite DB 703 |
|  RAIL | AIR double-sided |
|  NUMBER OF MODULES | 2 |
|  MODULE PANELS | PK4 ¹⁾ |


¹⁾ PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection








SYDNEY MINI

Enclosures for mini pools

Our smallest enclosure developed to fit our mini pool line.



Anthracite DB 703

| | SYDNEY CLEAR XS | SYDNEY XS | SYDNEY CLEAR MS | SYDNEY MS |
|-------------------------------------------------------------------------------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|
|  MAX. AREA | 372 x 376 cm | | 372 x 433 cm | |
|  COLOUR | Anthracite DB 703 | | Anthracite DB 703 | |
|  RAIL | AIR single-sided, only 1 rail | | AIR single-sided, only 1 rail | |
|  NUMBER OF MODULES | 2 | 2 | 2 | 2 |
|  MODULE PANELS | PK4 ¹⁾ | PK8 ²⁾ | PK4 ¹⁾ | PK8 ²⁾ |

¹⁾ PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection

²⁾ PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection



Enclosures – technical details



Durable polycarbonate
that is stabilized and protects your pool perfectly.



The enclosure structure
is made of highly resistant
profiles. They are smoothly
rounded and undergo
rigorous testing.


The stoppers secure
the enclosure against
unwanted movement.
To increase the safety,
we recommend the
lockable option.

**Rolling on stainless steel
encapsulated bearings makes it easy
to move the enclosure.** Sophisticated
hooks prevent the inadvertent lifting of the
module.

The AIR track can be walked on, is easy
to sink into the ground, and provides
hidden anchoring elements.


Compact polycarbonate

The most popular variant is the compact polycarbonate PK4 with a thickness of 4 mm. You will love its elegant appearance and perfect transparency. UV protection as standard and available in 2 colours.



Channel polycarbonate

The channel polycarbonate PK8 and PK10 with a thickness of 8 or 10 mm is stable. It has excellent insulation capabilities and provides plenty of privacy when swimming under a roof. UV protection as standard and **available in 2 colours.**




Standard styrene acrylonitrile

An economical option is styrene acrylonitrile SAN with a thickness of 4mm. You will love it especially for its price attractiveness while maintaining a pleasant appearance and high transparency. UV protection as standard and available only in clear.



Profile colours

The enclosure structure is finished with a durable powder paint in our own specialized and certified paint shop. You can choose from a wide range of colours and decors. For standard enclosures, the colours are fixed; for custom-made enclosures you have the following options:



Feel free to come and check our sample book.





ACCESSORIES

Did you know that...

We offer heat pumps, filtration equipment, counterflows, or accessories not requiring installation, such as thermometers and vacuum cleaners. The most popular are devices that help you relax in your pool.

MOOVER

Electric movement for the pool enclosure

We have listened to you, and in cooperation with designers from the automotive industry, we have developed an autonomous electric movement system that you can install with serial enclosures made by ALBIXON. The batteries are charged through the solar panel, or from the mains with a power adapter. Installation of the MOOVER is straight forward.

We are proud to announce that our innovative MOOVER product has received a prestigious Red Dot Award 2023 for product design.



-  **DIMENSIONS**
-  **WEIGHT**
-  **DRIVE**

| SPECIFICATIONS | |
|----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Length: 1157 mm Width: 80 mm (without mounting brackets and external connectors) Width: 110 mm (with mounting brackets) Height: 163 mm | |
| MOOVER weight (incl. battery): 27 kg Weight of package: 30 kg | |
| Gearbox type: auger Motor power: 150 W | |



reddot winner 2023

POOL ACCESSORIES

We make sure that we are a one-stop pool shop for you. That is why you will find a wide range of pool accessories here.



Pool robots and vacuum cleaners



Filtration pumps



Heat pumps



Sand filters



Salt dispensers



Lighting

Why BRILIX accessories?

- ➔ High-quality components
- ➔ Optimal price/quality ratio
- ➔ A reliable solution for your swimming pool

- ➔ Short delivery times within the EU
- ➔ Complete range of products

BRILIX accessories can now be comfortably controlled using the mobile app.
APP.BRILIX.com



ALBIXON

1990

ESTABLISHMENT

Our history dates back to 1990, when the Smetana brothers founded the company under the name ALBION. At that time, no one had any idea that it would later become a leading player in the swimming pool industry throughout Europe.

1995

SWIMMING POOLS ON THE RISE

ALBION is fully engaged in the production of swimming pools and thanks to the first series pools, the production volumes are growing rapidly. Despite this, demand far exceeds supply, and ambitious plans for the coming years are born in the founders' minds.

1998

PRODUCTION OF ENCLOSURES

We respond to the increasingly urgent demands of our customers and include pool enclosures in our product portfolio. These soon became our flagship product and their popularity is growing every year.

2001

POWDER PAINT SHOP

ALBION's first powder paint shop launched in Hořovice significantly supports the production of enclosures and at the same time meets the demand of external customers.

2002

EXPORT

After the first decade of operation, we became a strong player on the Czech market. We then took the opportunity and decided to expand and sell our products abroad, through official B2B partners. First we took it to the neighbouring German market.

2012

NEW POWDER PAINT SHOP

We open a new powder paint shop with the modern DECORAL line, which allows us to use dozens of colours, designs and patterns, not only for our enclosures, but also for many external customers and their various projects in and outside the Czech Republic.

2011

ALBION → ALBIXON

New company name. And the founders put it simply: "The name Albion referred to England, as we have always admired their business culture and freedom. But people mistook us for other companies, so we added an 'X' to create ALBIXON."

2006

BRILIX

Customers no longer want just a pool and an enclosure, but demand a complete pool set from a single supplier. Complexity has become a challenge for us and room for further growth. We responded by creating the BRILIX division, specialising in the sale of our own pool accessories.

2004

ENCLOSURES IN BOX

We started offering our enclosures in a BOX. The advantages include the considerable savings in the cost of transportation, simple assembly and speed of delivery. We established the IDEALCOVER brand (later renamed ALBIXON BOX) for the export of these enclosures.

2014

SKYTRIUM

We listened to the wishes of our customers and offer a solution connecting gardens and family homes. This is how the SKYTRIUM terrace enclosure was created – the garden and the house.

2017

QBIG POOLS

We launch a design solution for the QBIG series of swimming pools protected by a utility model. Thanks to the built-in lost formwork on the outside of the pool, we can speed up the construction work, saving our customers' time and money.

2019

SYDNEY & X-FLOW

The year 2019 was full of new achievements reported by our development team. We expand our product portfolio with the elegant and unique SYDNEY serial enclosure system and the luxurious MIAMI customized roofing. We also add our own X-FLOW overflow grid to differentiate ourselves in the market.

2021

3D PRINTING

We are investing in 3D printing and strengthening our development capabilities. Thanks to professional prototypes and our own production of plastic, we are opening the door to further innovations for our customers.

2025

MINI QBIG

We are introducing small pools in three sizes to the market as an ideal solution for smaller gardens.

2024

TERRACES & SPAS

We are launching terrace boards from the renowned Spanish brand EXTERPARK and premium Finnish spas NOVITEK.

2023

SKYTRIUM & BERGEN

In line with our new mission and vision, we are launching the SKYTRIUM bioclimatic pergolas and the BERGEN pool terrace enclosure. With the MOOVER electric moving system, we have received the prestigious Red Dot Award 2023 for product design.

2022

MOOVER

Introducing MOOVER – the universal solution and autonomous enclosure sliding solution. We listened to our customers and, in cooperation with automotive designers, we developed an electric sliding system with an elegant design that operates pool enclosures at the touch of a button.

